



Design and Detailing of steel in Combined Footings

Dr. M.C. NATARAJA



Summary Sheet

Session Number : 8

Date : 14.05.2007-

Subject Expert :

Dr. M.C. Nataraja

Professor

Department of Civil Engineering,

Sri Jayachamarajendra College of Engineering,

Mysore - 570 006.

Phone:0821-2343521, 9880447742

E-mail: nataraja96@yahoo.com



Design and Detailing of steel in Combined Footings

Learning Outcomes:

- After this students will be able design and detail combined footings through drawing and bar bending schedule. This is for Part B and is one full question for about 70 marks.



Footings

The function of a footing or a foundation is to transmit the load from the structure to the underlying soil.

The choice of suitable type of footing depends on the depth at which the bearing strata lies, the soil condition and the type of superstructure.





Combined footing

Whenever two or more columns in a straight line are carried on a single spread footing, it is called a combined footing. Isolated footings for each column are generally the economical.

Combined footings are provided only when it is absolutely necessary, as

1. When two columns are close together, causing overlap of adjacent isolated footings
2. Where soil bearing capacity is low, causing overlap of adjacent isolated footings
3. Proximity of building line or existing building or sewer, adjacent to a building column.



Property line



Types of combined footings





Types of combined footing




1. Slab type



2. Slab and beam type



3. Strap type





- The combined footing may be rectangular, trapezoidal or Tee-shaped in plan.



The geometric proportions and shape are so fixed that the centroid of the footing area coincides with the resultant of the column loads. This results in uniform pressure below the entire area of footing.

- Trapezoidal footing is provided when one column load is much more than the other. As a result, the both projections of footing beyond the faces of the columns will be restricted.
- Rectangular footing is provided when one of the projections of the footing is restricted or the width of the footing is restricted.




Rectangular combined footing

- Longitudinally, the footing acts as an upward loaded beam spanning between columns and cantilevering beyond. Using statics, the shear force and bending moment diagrams in the longitudinal direction are drawn. Moment is checked at the faces of the column. Shear force is critical at distance 'd' from the faces of columns or at the point of contra flexure. Two-way shear is checked under the heavier column.
- The footing is also subjected to transverse bending and this bending is spread over a transverse strip near the column.





SLAB TYPE COMBINED FOOTING



Section 1-1, 2-2, 5-5, and 6-6 are sections for critical moments
Section 3-3, 4-4 are sections for critical shear (one way)
Section for critical two way shear is $abcd$

CRITICAL SECTIONS FOR MOMENTS AND SHEAR



TRANSVERSE BEAM
BELOW COLUMNS



Design Steps

- Locate the point of application of the column loads on the footing.
- Proportion the footing such that the resultant of loads passes through the center of footing.
- Compute the area of footing such that the allowable soil pressure is not exceeded.
- Calculate the shear forces and bending moments at the salient points and hence draw SFD and BMD.
- Fix the depth of footing from the maximum bending moment.
- Calculate the transverse bending moment and design the transverse section for depth and reinforcement.
Check for anchorage and shear.



Design Steps -Contd.,

- Check the footing for longitudinal shear and hence design the longitudinal steel
- Design the reinforcement for the longitudinal moment and place them in the appropriate positions.
- Check the development length for longitudinal steel
- Curtail the longitudinal bars for economy
- Draw and detail the reinforcement
- Prepare the bar bending schedule



Detailing

Detailing of steel (both longitudinal and transverse) in a combined footing is similar to that of conventional beam-SP-34

Detailing requirements of beams and slabs should be followed as appropriate-SP-34



Design of combined footing – Slab and Beam type

1. Two interior columns A and B carry 700 kN and 1000 kN loads respectively. Column A is 350 mm x 350 mm and column B is 400 mm X 400 mm in section. The centre to centre spacing between columns is 4.6 m. The soil on which the footing rests is capable of providing resistance of 130 kN/m². Design a combined footing by providing a central beam joining the two columns. Use concrete grade M25 and mild steel reinforcement.



Draw to a suitable scale the following

1. The longitudinal sectional elevation
2. Transverse section at the left face of the heavier column
3. Plan of the footing

Marks 60



Solution: Data

$$f_{ck} = 25 \text{ N/mm}^2,$$

$$f_y = 250 \text{ N/mm}^2,$$

$$f_b = 130 \text{ kN/m}^2 \text{ (SBC)},$$

Column A = 350 mm x 350 mm,

Column B = 400 mm x 400 mm,

c/c spacing of columns = 4.6 m,

$P_A = 700 \text{ kN}$ and $P_B = 1000 \text{ kN}$

Required: To design combined footing with central beam joining the two columns.

Ultimate loads

$$P_{uA} = 1.5 \times 700 = 1050 \text{ kN}, P_{uB} = 1.5 \times 1000 = 1500 \text{ kN}$$



Proportioning of base size

Working load carried by column A = $P_A = 700$ kN

Working load carried by column B = $P_B = 1000$ kN

Self weight of footing 10 % x $(P_A + P_B) = 170$ kN

Total working load = 1870 kN

Required area of footing = $A_f = \text{Total load} / \text{SBC}$

$$= 1870 / 130 = 14.38 \text{ m}^2$$

Let the width of the footing = $B_f = 2$ m

Required length of footing = $L_f = A_f / B_f = 14.38 / 2 = 7.19$ m



For uniform pressure distribution the C.G. of the footing should coincide with the C.G. of column loads. Let x be the distance of C.G. from the centre line of column A


$$\text{Then } x = (P_B \times 4.6)/(P_A + P_B) = (1000 \times 4.6)/(1000 + 700) \\ = 2.7 \text{ m from column A.}$$

If the cantilever projection of footing beyond column A is 'a' then, $a + 2.7 = L_f/2 = 7.2/2$, Therefore $a = 0.9 \text{ m}$

Similarly if the cantilever projection of footing beyond B is 'b' then, $b + (4.6-2.7) = L_f/2 = 3.6 \text{ m}$,

$$\text{Therefore } b = 3.6 - 1.9 = 1.7 \text{ m}$$

The details are shown in Figure



$$p_u = 177 \text{ kN/m}^2$$

$$w_u = 354 \text{ kN/m}$$

Combined footing with loads



Rectangular Footing with Central Beam:- Design of Bottom slab.

Total ultimate load from columns = $P_u = 1.5(700 + 1000) = 2550 \text{ kN}$.

Upward intensity of soil pressure $w_u = P/A_f = 2550/14.4 = 177 \text{ kN/m}^2$

Design of slab

Intensity of Upward pressure = $w_u = 177 \text{ kN/m}^2$

Consider one meter width of the slab ($b=1\text{m}$)

Load per m run of slab at ultimate = $177 \times 1 = 177 \text{ kN/m}$


Cantilever projection of the slab (For smaller column)

= $1000 - 350/2 = 825 \text{ mm}$

Maximum ultimate moment = $177 \times 0.825^2/2 = 60.2 \text{ kN-m}$.



Slab design-Contd.,



For M25 and Fe 250, $Q_{u \max} = 3.71 \text{ N/mm}^2$

Required effective depth = $\sqrt{(60.2 \times 10^6 / (3.71 \times 1000))} = 128 \text{ mm}$

Since the slab is in contact with the soil clear cover of 50 mm is assumed.

Using 20 mm diameter bars

Required total depth = $128 + 20/2 + 50 = 188 \text{ mm}$ say 200 mm

Provided effective depth = $d = 200 - 50 - 20/2 = 140 \text{ mm}$



To find steel

$$M_u/bd^2 = 3.07 < 3.73, \text{ URS}$$

$$M_u = 0.87 f_y A_{st} [d - f_y A_{st} / (f_{ck} b)]$$

$$p_t = 1.7\%$$

$$A_{st} = 2380 \text{ mm}^2$$

Use $\Phi 20$ mm diameter bar at spacing
 $= 1000 \times 314 / 2380 = 131.93$ say 130 mm c/c
Area provided $= 1000 \times 314 / 130 = 2415 \text{ mm}^2$



Check the depth for one - way shear considerations- At 'd' from face

Design shear force= $V_u = 177 \times (0.825 - 0.140) = 121 \text{ kN}$

Nominal shear stress = $\tau_v = V_u / bd = 121000 / (1000 \times 140) = 0.$

866 MPa

Permissible shear stress

$P_t = 100 \times 2415 / (1000 \times 140) = 1.7 \%$, $\tau_{uc} = 0.772 \text{ N/mm}^2$

Value of k for 200 mm thick slab = 1.2

Permissible shear stress = $1.2 \times 0.772 = 0.926 \text{ N/mm}^2$

$\tau_{uc} > \tau_v$ and hence safe

The depth may be reduced uniformly to 150 mm at the edges.



Check for development length

$$L_{dt} = [0.87 \times 250 / (4 \times 1.4)] \Phi = 39 \Phi$$

$$= 39 \times 20 = 780 \text{ mm}$$

$$\text{Available length of bar} = 825 - 25 = 800 \text{ mm}$$

> 780 mm and hence safe.

Transverse reinforcement

$$\text{Required } A_{st} = 0.15bD/100$$


$$= 0.15 \times 1000 \times 200 / 100 = 300 \text{ mm}^2$$

$$\text{Using } \Phi 8 \text{ mm bars, Spacing} = 1000 \times 50 / 300$$

$$= 160 \text{ mm}$$

Provide distribution steel of $\Phi 8$ mm at 160 mm c/c,

<300, <5d





Design of Longitudinal Beam

Load from the slab will be transferred to the beam.
As the width of the footing is 2 m, the net upward soil pressure per meter length of the beam
 $= w_u = 177 \times 2 = 354 \text{ kN/m}$

Shear Force and Bending Moment

$$V_{AC} = 354 \times 0.9 = 318.6 \text{ kN}, V_{AB} = 1050 - 318.6 = 731.4 \text{ kN}$$

$$V_{BD} = 354 \times 1.7 = 601.8 \text{ kN}, V_{BA} = 1500 - 601.8 = 898.2 \text{ kN}$$

Point of zero shear from left end C

$$X_1 = 1050 / 354 = 2.97 \text{ m from C or}$$

$$X_2 = 7.2 - 2.97 = 4.23 \text{ m from D}$$



Maximum B.M. occurs at a distance of 4.23 m from D

$$M_{uE} = 354 \times 4.23^2 / 2 - 1500 (4.23 - 1.7) = -628 \text{ kN.m}$$


$$\text{Bending moment under column A} = M_{uA} = 354 \times 0.9^2 / 2 \\ = 143.37 \text{ kN.m}$$

$$\text{Bending moment under column B} = M_{uB} = 354 \times 1.7^2 \\ = 511.5 \text{ kN-m}$$

Let the point of contra flexure be at a distance x from the centre of column A

$$\text{Then, } M_x = 1050x - 354 (x + 0.9)^2 / 2 = 0$$

Therefore x = 0.206 m and 3.92 m from column A
i.e. 0.68 m from B.





Depth of beam from B.M.

The width of beam is kept equal to the maximum width of the column i.e. 400 mm. Determine the depth of the beam where T- beam action is not available. The beam acts as a rectangular section in the cantilever portion, where the maximum positive moment = 511.5 kN/m.

$$d = \sqrt{(511.5 \times 10^6 / (3.73 \times 400))} = 586 \text{ mm}$$

Provide total depth of 750 mm. Assuming two rows of bars with effective cover of 70 mm.

Effective depth provided = $d = 750 - 70 = 680 \text{ mm}$ (Less than 750mm and hence no side face steel is needed.





Check the depth for Two-way Shear

The heavier column B can punch through the footing only if it shears against the depth of the beam along its two opposite edges, and along the depth of the slab on the remaining two edges. The critical section for two-way shear is taken at distance $d/2$ (i.e. $680/2$ mm) from the face of the column. Therefore, the critical section will be taken at a distance half the effective depth of the slab ($d_s/2$) on the other side as shown in Fig.



$B=400 \times 400 \text{ mm}$



7200 mm



In this case $b=D=400$ mm, $d_b=680$ mm, $d_s=140$ mm

Area resisting two - way shear

$$= 2(b \times d_b + d_s \times d_s) + 2 (D + d_b) d_s$$

$$= 2 (400 \times 680 + 140 \times 140) + 2(400+680) 140 = 885600 \text{ mm}^2$$

Design shear $= P_{ud} =$ column load $- W_u \times$ area at critical section

$$= 1500 - 177 \times (b + d_s) \times (D + d_b)$$

$$= 1500 - 177 \times (0.400 + 0.140) \times (0.400 + 0.680) = 1377.65 \text{ kN}$$

$$\tau_v = P_{ud} / b_o d = 1377.65 \times 1000 / 885600 = 1.56 \text{ MPa}$$

Shear stress resisted by concrete $= \tau_{uc} = \tau_{uc} \times K_s$

$$\text{where, } \tau_{uc} = 0.25 \sqrt{f_{ck}} = 0.25 \sqrt{25} = 1.25 \text{ N/mm}^2$$

$$K_s = 0.5 + d / D = 0.5 + 400 / 400 = 1.5 \leq 1 \text{ Hence } K_s = 1$$

$$\tau_{uc} = 1 \times 1.25 = 1.25 \text{ N/mm}^2 \cdot \text{Therefore Unsafe}$$



Area of Steel: Cantilever portion BD

Length of cantilever from the face of column
 $= 1.7 - 0.4/2 = 1.5 \text{ m}$.

Ultimate moment at the face of column
 $= 354 \times 1.5^2 / 2 = 398.25 \text{ kN-m}$

$$M_{u\max} = 3.71 \times 400 \times 680^2 \times 10^{-6} = 686 \text{ kN-m} > 398.25 \text{ kN-m}$$

Therefore Section is singly reinforced.

$$M_u / bd^2 = 398.25 \times 10^6 / (400 \times 680^2) = 2.15 < 3.73, \text{ URS}$$

$$P_t = 1.114\%$$

$A_{st} = 3030 \text{ mm}^2$, Provide 3- Φ 32 mm + 4- Φ 16 mm at bottom face,

Area provided = 3217 mm^2

$$L_{dt} = 39 \times 32 = 1248 \text{ mm}$$



Curtailment

All bottom bars will be continued up to the end of cantilever. The bottom bars of 3 - Φ 32 will be curtailed at a distance d ($= 680$ mm) from the point of contra flexure ($\lambda = 680$ mm) in the portion BE with its distance from the centre of support equal to 1360 mm from B.

Cantilever portion AC

Length of cantilever from the face of column $= 900 - 350/2 = 725$ mm

Ultimate moment $= 354 \times 0.725/2 = 93$ kN-m

$M_u/bd^2 = 93 \times 10^6 / (400 \times 680^2) = 0.52 < 3.73$, URS

$P_t = 0.245\%$ (Greater than minimum steel)

$A_{st} = 660$ mm²

Provide 4 - Φ 16 mm at bottom face, Area provided $= 804$ mm²

Continue all 4 bars of 16 mm diameter through out at bottom.



Region AB between points of contra flexures

The beam acts as an isolated T- beam.

$$b_f = [L_o / (L_o / b + 4)] + b_w, \text{ where,}$$

$$L_o = 4.6 - 0.206 - 0.68 = 3.714 \text{ m} = 3714 \text{ mm}$$

$$b = \text{actual width of flange} = 2000 \text{ mm}, b_w = 400 \text{ mm}$$

$$b_f = [3714 / (3714 / 2000 + 4) + 400] = 1034 \text{ mm} < 2000 \text{ mm}$$

$$D_f = 200 \text{ mm}, M_u = 628 \text{ kN-m}$$

Moment of resistance M_{uf} of a beam for $x_u = D_f$ is :

$$M_{uf} = [0.36 \times 25 \times 1034 \times 200(680 - 0.42 \times 200)] \times 10^{-6}$$
$$= 1109 \text{ kN.m} > M_u (= 628 \text{ kN-m})$$



Therefore $X_u < D_f$

$$M_u = 0.87 f_{yk} A_{st} (d - f_{yk} A_{st} / f_{ck} b_f)$$

$$A_{st} = 4542 \text{ mm}^2$$

Provide 5 bars of Φ 32 mm and 3 bars of Φ 16 mm,

$$\text{Area provided} = 4021 + 603 = 4624 \text{ mm}^2 > 4542 \text{ mm}^2$$

$$p_t = 100 \times 4624 / (400 \times 680) = 1.7 \%$$



Curtailment:

Consider that 2 - Φ 32 mm are to be curtailed

No. of bars to be continued = 3 - Φ 16 + 3 - Φ 32

giving area = $A_{st} = 3016 \text{ mm}^2$

Moment of resistance of continuing bars

$$M_{ur} = (0.87 \times 250 \times 3016 (680 - ((250 \times 3016) / (25 \times 400)) \times 10^{-6}) \\ = 396.6 \text{ kN-m}$$

Let the theoretical point of curtailment be at a distance x from the free end C,

Then, $M_{uc} = M_{ur}$ Therefore $-354 x^2 / 2 + 1050 (x - 0.9) = 396.6$
 $x^2 - 5.93x + 7.58 = 0$, Therefore $x = 4.06\text{m}$ or 1.86m from C



Actual point of curtailment = $4.06 + 0.68 = 4.74$ m
from C or $1.86 - 0.68 = 1.18$ m from C

Terminate 2 - Φ 32 mm bars at a distance of 280 mm (= 1180 - 900) from the column A and 760mm (= 5500 - 4740) from column B. Remaining bars 3 - Φ 32 shall be continued beyond the point of inflection for a distance of 680 mm i.e. 460 mm from column A and up to the outer face of column B. Remaining bars of 3 - Φ 16 continued in the cantilever portion.



Design of shear reinforcement Portion between column i.e. AB

In this case the crack due to diagonal tension will occur at the point of contra flexure because the distance of the point of contra flexure from the column is less than the effective depth $d(= 680\text{mm})$

(i) Maximum shear force at B = $V_{u\max} = 898.2 \text{ kN}$

Shear at the point of contra flexure
 $= V_{uD} - 898.2 - 354 \times 0.68 = 657.48 \text{ kN}$

$\tau_v = 657000 / (400 \times 680) = 2.42 \text{ MPa} < \tau_{c,\max.}$



Area of steel available $3 - \Phi 16 + 3 - \Phi 32$,

$$A_{st} = 3016 \text{ mm}^2$$

$$\rho_t = 100 \times 3016 / (400 \times 680) = 1.1\%$$

$$\tau_c = 0.664 \text{ MPa}$$

$$\tau_v > \tau_c$$

Design shear reinforcement is required.

Using 12 mm diameter 4 - legged stirrups,

$$\text{Spacing} = [0.87 \times 250 \times (4 \times 113)] / (2.42 - 0.664) \times 400 = 139 \text{ mm}$$

say 120 mm c/c

Zone of shear reinforcements between τ_v to τ_c
= m from support B towards A



(ii) Maximum shear force at A

$$= V_{u \max} = 731.4 \text{ kN.}$$

Shear at the point contra flexure = $V_{uD} = 731.4 - 0.206 \times 354 = 658.5 \text{ kN}$

$$\tau_v = 658500 / (400 \times 680) = 2.42 \text{ MPa} < \tau_{c, \max.}$$

Area of steel available = 4624 mm^2 , $p_t = 100 \times 4624 / (400 \times 680) = 1.7 \%$

$$\tau_{uc} = 0.772 \text{ N/mm}^2,$$



Design shear reinforcement is required.

Using 12 mm diameter 4 - legged stirrups,
Spacing = $0.87 \times 250 \times (4 \times 113) / (2.42 - 0.774) \times 400$
= 149 mm say 140 mm c/c

Zone of shear reinforcement.

From A to B for a distance as shown in figure

For the remaining central portion of 1.88 m provide minimum shear reinforcement using 12 mm diameter 2 - legged stirrups at

Spacing , $s = 0.87 \times 250 \times (2 \times 113) / (0.4 \times 400) = 307.2$ mm,
Say 300 mm c/c < 0.75d



Cantilever portion BD

$$V_{u\max} = 601.8\text{kN},$$

$$V_{uD} = 601.8 - 354(0.400/2 + 0.680) = 290.28\text{kN}.$$

$$\tau_v = 290280 / (400 \times 680) = 1.067\text{MPa} < \tau_{c,\max}.$$

$$A_{st} = 3217 \text{ mm}^2 \text{ and } p_t = 100 \times 3217 / (400 \times 680) = 1.18\%$$

$$\tau_c = 0.683\text{N/mm}^2 \text{ (Table IS:456-2000)}$$

$\tau_v > \tau_c$ and $\tau_v - \tau_c < 0.4$. Provide minimum steel.

Using 12 mm diameter 2- legged stirrups,


$$\text{Spacing} = 0.87 \times 250 \times (2 \times 113) / (0.4 \times 400) = 307.2 \text{ mm}$$


say 300 mm c/c




Cantilever portion AC

Minimum shear reinforcement of Φ 12 mm diameters 2 - legged stirrups at 300mm c/c will be sufficient in the cantilever portions of the beam as the shear is very less.







Plan of footing slab